


# Product data sheet

Specifications



## SmartX Cover Plate, for Sensor Base, Touchscreen, Setpoint, Override, Optimum White Cover

SXWSCDXSELXW

### Main

Range	SpaceLogic
Product or component type	Cover
Product name	SmartX Living Space Sensor
Device application	HVAC Control
Product certifications	CE conforming to EN 61000-6-3 RCM EAC ICES-003
Display resolution	320 x 240 pixels
Display size	2.4 inch
Display type	Colour touchscreen
Information displayed	Temperature Temperature set point Operating mode Menu-driven user interface Time
Flame retardance	UL94-V0
IP degree of protection	IP20
Location	Living space
Depth	20 mm
Height	115 mm
Width	85 mm
Ambient air temperature for operation	0...50 °C
Standards	UL 916 FCC part 15 class B
Colour	White
[Us] rated supply voltage	24 V DC
Device presentation	Cover plate
Surface finish	Glossy

### Complementary

Control type	tactile
--------------	---------

<b>Material</b>	ABS (acrylonitrile butadiene-styrene) GF10 FR
<b>Function available</b>	Override switches Setpoint adjustment Blind control Light control
<b>Supply</b>	Base
<b>Connections - terminals</b>	Bus terminal (back)
<b>Range compatibility</b>	EcoStruxure Building Operation SmartX Room Purpose Controller programmable controllers EcoStruxure Building Operation SmartX Living Space Sensor base unit

## Packing Units

<b>Unit Type of Package 1</b>	PCE
<b>Number of Units in Package 1</b>	1
<b>Package 1 Height</b>	4.8 cm
<b>Package 1 Width</b>	9.7 cm
<b>Package 1 Length</b>	14.0 cm
<b>Package 1 Weight</b>	121.0 g

## Offer Sustainability

<b>EU RoHS Directive</b>	Compliant <a href="#">EU RoHS Declaration</a>
<b>Environmental Disclosure</b>	<a href="#">Product Environmental Profile</a>
<b>Circularity Profile</b>	<a href="#">End of Life Information</a>
<b>WEEE</b>	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

## Recommended replacement(s)