# **Product datasheet**

Specifications





# Central I/O module, SpaceLogic, 12 Form A digital outputs

SXWDOA12X10001

## Main

Device Short Name	DO-FA-12
Product Or Component Type	I/O module
Net Weight	194 g
Flame Retardance	UL94V0-5VB
Height	114 mm
Product Certifications	ICES-003 FCC part 15 class B CE RCM
Width	30 mm
Power Consumption In Va	1.8 W
Depth	64 mm
Ambient Air Temperature For Operation	050 °C
Ip Degree Of Protection	IP20
Ambient Air Temperature For Storage	-2070 °C
Relative Humidity	095 % non-condensing
Product Name	I/O Modules
Product Brand	Schneider Electric
Range	EcoStruxure Building Operation

## Complementary

Control Type	Without
Electrical Connection	Plug-in sub-base
Discrete Output Number	12
Discrete Input Voltage	24 V
Discrete Output Type	Relay
Mounting Support	DIN rail Wall
Local Signalling	LED (green) for relay energised
Range Compatibility	EcoStruxure Building Operation TB-IO-W1 terminal base
Standards	UL 864 UL 916 FCC CFR 47 part 15
Material	ABS + PC

# **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	9.0 cm
Package 1 Width	5.7 cm
Package 1 Length	11.8 cm
Package 1 Weight	196.2 g



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

## Well-being performance



#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information